Rua Maximiliano Gaidzinski 245 88845-000 Cocal do Sul - SC - Brasil Tel + 55 48 3447 7981 Fax + 55 48 3447 7706 www.eliane.com



TECHNICAL CHARACTERISTICS OF PRODUCT

The characteristics of the product specified in this technical report meet the specification and test methods according to norm NBR 13818 and ISO 13006 requirements.

PRODUCT SPECIFICATION

Reference	CREATIVE PRISMA WHITE AC 32,5X59*
Product Code	8028066
Nomimal Size (N)	32,5 cm x 59 cm
Work Size (W)	325,0 mm x 590,0 mm
Thickness	9,3 mm
Water Absorption	BIII (> 10,0%)
Shade Variation	V1
Application Joint	1,0 mm
Coverage Area	1,53 m ² /cx
Number of pieces per box	8

DIMENSIONAL CHARACTERISTICS

Deviation on W in relation to N (%)	± 2,00 (max. ±5,0 mm)
Deviation on r1 in relation to W (%)	± 0,50 (max. ±2,0 mm)
Deviation on e in relation to eW (%)	± 10,0 (max. ±0,5 mm)
Wedging of size - deviation in relation to W (%)	± 0,30 (max. ±1,5 mm)
Rectangularity - deviation in relation to W (%)	± 0,50 (max. ±2,0 mm)
Edge curvature - deviation in relation to W (%)	-0,30 / +0,50 (max1,50 / +2,00mm)
Center Curvature - deviation in relation to W(%)	-0,30 / +0,50 (max1,50 / +2,00mm)
Warpage - deviation in relation to W (%)	± 0,50 (max. ±2,0 mm)

Definition - Dimensional Characteristics

Wedging of size: occurs when the sides of the piece show a curvature either concave or convex.

Rectangularity: identifies if the tile is set square or not.

Edge curvature: occurs when one of the sides of the piece presents curvature, compared to the standard piece.

Center curvature: occurs when the center of the piece presents curvature, compared to the standard piece.

Warpage: is the difference of one of the four sides (end) related to the three sides leaned on the equipment, compared to the standard piece.

- N Nominal size (cm).
- W Work size (mm).
- r Average size of one piece (average of two sides if rectangular format and four sides when square format).
- R Average size of 10 pieces (average of two sides if rectangular format and four sides when square format).

Rua Maximiliano Gaidzinski 245 88845-000 Cocal do Sul - SC - Brasil Tel + 55 48 3447 7981 Fax + 55 48 3447 7706 www.eliane.com



PHYSICAL PROPERTIES

i disposition entries		
Flexion resistance (N/mm²)	≥ 12	
Breaking strength (N)	≥ 600	
Moisture expansion (mm/m)	≤ 0,60	
Crazing resistance	Guaranteed	

CHEMICAL PROPERTIES		
Resistance to household chemicals and swimming pool salts - Ammonium Chloride 100g/L	≥GB	
Resistance to household chemicals and swimming pool water - Sodium Hypochlorite 20mg	≥GB	
Acid - low concentration - chloridric acid 3%	≥GLB	
Acid - low concentration - citric acid 100g/L	≥GLB	
Alkalis - low concentration - potassium hydroxide 30g/L	≥GLB	
Resistance to staining - Green Chrome (40% in oil)	≥Class 3	
Resistance to staining - Olive Oil	≥Class 3	
Resistance to staining - Alcohol iodine (13g / L)	≥Class 3	

Definition - Chemical Resistance

Codes of classification: XYZ (Ex: GHA)

X – One letter: G or U, glazed or unglazed

Y – One letter: H or L, high or low concentration

Z – One letter: Chemical resistance class:

A = High
B = Medium
C = Low

Definition - Resistance to Stain

Class 5 - The stain can be removed easily.

Class 4 - The stain can be removed with a light chemical product. Class 3 - The stain can be removed with a strong chemical product.

Class 2 - The stain can be removed with solvent.

Class 1 - The stain can not be removed.

Attention:

- Sand may produce scratches on any type of surface covering (stone, wood, vinyl or ceramic tiles).
 Therefore, ceramic tiles are not warranted against scratches, especially concerning glossy surface products.
- Special care is recommended during the application and its use
- In residential areas, we recommend to protect the base of furniture and appliances.
- Product manufactured by the wet process.
- Product with Class I combustibility, according to NBR 15575.

September 19, 2016 Cocal do Sul – SC – Brazil

Sergio Pereila Ruzza Gerente de Tecnologia Cerâmica Angela Waterkemper Vieira

Analista Desenvolvimento de Processos